

VIHU.EX27918 - NOZZLES, FIXED SPRAY, FOAM

Nozzles, Fixed Spray, Foam

See General Information for Nozzles, Fixed Spray, Foam

FLUID EQUIPMENT INT. BVBA

Rumbeeksegravier 166 Unit D/E
8800 Roeselare, BELGIUM BELGIUM

EX27918

Model	Discharge Angle Deg	Discharge Coefficient K
<i>F226</i>	120	3.0 (43)
<i>F226</i>	120	5.2 (75)

Refer to the individual foam concentrate Listings for operating limitations with specific combinations of foam concentrates and spray nozzles.

Last Updated on 2018-09-11

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"